



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/597,780	06/20/2000	Alessandro Cesare Callegari	YOR-9-2000-0010	6159

7590 03/06/2006  
Paul D. Greeley, Esq.  
Ohlandt, Greeley, Ruggiero & Perle, L.L.P.  
One Landmark Square  
10th Floor  
Stamford, CT 06901-2682

EXAMINER
----------

NGUYEN, HOAN C

ART UNIT	PAPER NUMBER
----------	--------------

2871

DATE MAILED: 03/06/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

H.D

<b>Office Action Summary</b>	<b>Application No.</b> 09/597,780	<b>Applicant(s)</b> CALLEGARI ET AL.	
	<b>Examiner</b> HOAN C. NGUYEN	<b>Art Unit</b> 2871	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --  
**Period for Reply**

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

**Status**

- 1) ☒ Responsive to communication(s) filed on 25 November 2005.  
2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.  
3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

**Disposition of Claims**

- 4) ☒ Claim(s) 1,4-9,11-20,22,23 and 37-40 is/are pending in the application.  
4a) Of the above claim(s) 1,4-8,14-20,22,23,38 and 39 is/are withdrawn from consideration.  
5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.  
6) ☒ Claim(s) 9,11-13,37 and 40 is/are rejected.  
7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.  
8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

**Application Papers**

- 9) ☐ The specification is objected to by the Examiner.  
10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).  
11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

**Priority under 35 U.S.C. § 119**

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).  
a) ☐ All b) ☐ Some \* c) ☐ None of:  
1. ☐ Certified copies of the priority documents have been received.  
2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.  
3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

**Attachment(s)**

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)                                   | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152)             |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)<br>Paper No(s)/Mail Date _____ | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Election/Restrictions***

Applicant's election of group I (claims 9, 11-13, 37 and 40 in the reply filed on 11/25/05) is acknowledged. Because applicant did not distinctly and specifically point out the supposed errors in the restriction requirement, the election has been treated as an election without traverse (MPEP § 818.03(a)).

### ***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 9, 11-13, 37 and 40 are rejected under 35 U.S.C. 103(a) as being unpatentable over Oh et al. (US6665036B2) in view of Kim et al. (US006111627A), Hiroshi (US5995186A), and Callegari et al. (US6061114A).

In regard to claims 9 and 37, Oh et al. teach (Fig. 3A-B) a multi-domain liquid crystal display comprising

- a bottom substrate 210 having a first surface;
- a transparent conductive layer (data electrodes 208 and common electrode 209, thin film transistors and other display circuitry in bottom substrate to form the in-plane switching mode) disposed over said first surface of said bottom substrate.

Art Unit: 2871

- a top substrate 211 having a second surface;
- a color filter layer (color filter 229) disposed over a surface of the top substrate;
- a transparent conductive layer 118 disposed over said color filter;
- a first alignment layer 223a over said first transparent conductive layer
- a second alignment layer 223b made of over said second surface; said second alignment layer being spaced adjacent to and facing said first alignment layer;
- a liquid crystal material 230 disposed in the space therebetween;

wherein

However, Oh et al. fail to disclose

- (a) a second transparent conductive layer disposed over the color filter;
- (b) a plurality of uniformly sized spacer 108 distributing within said space;
- (c) the alignment layers made of the dry deposited layers, which are made of material selected from the group consisting of hydrogenated diamond-like carbon, amorphous hydrogenated silicon, silicon carbide (SiC), silicon dioxide (SiO<sub>2</sub>), glass, silicon nitride (Si<sub>3</sub>N<sub>4</sub>), alumina (Al<sub>2</sub>O<sub>3</sub>), cerium(IV) oxide (CeO<sub>2</sub>), tin oxide (SnO<sub>2</sub>), zinc titanate (ZnTiO<sub>2</sub>) and a combination thereof;
- (d) each of said first alignment layer and said second alignment layer made of the dry deposited layers is divided into a plurality of pixels each having a boundary and at least two domains; wherein each of said multi-domain, dry deposited layers is obtained by a mechanical mask; said dry deposited layers are exposed to at least a first particle (ion) beam and a second particle (ion) beam, where a first particle beam and a second particle beam use the same ion, which is selected from the group consisting

Art Unit: 2871

argon, nitrogen, oxygen and a mixture thereof; and a direction of said first particle beam with respect to said dry deposited layer is different than a direction of said second particle beam with respect to said dry deposited layer.

Kim et al. teach (Fig.4) (a) a second transparent conductive layer disposed over the color filter, which is formed on the surface of upper substrate; this second transparent conductive layer used for preventing electrostatics forming on the upper substrate (col. 3 lines 1-3). Kim also discloses the alignment layers 44 and 28.

Hiroshi teaches (Fig. 5) (b) a plurality of uniformly sized spacer 108 distributing within said space for supporting the thickness of liquid crystal layer (col. 5 lines 25-29);

Callegari et al. teach

(c) the alignment layers made of the dry deposited layers, which are made of material selected from the group consisting of hydrogenated diamond-like carbon, amorphous hydrogenated silicon, silicon carbide (SiC), silicon dioxide (SiO<sub>2</sub>), glass, silicon nitride (Si<sub>3</sub>N<sub>4</sub>), alumina (Al<sub>2</sub>O<sub>3</sub>), cerium(IV) oxide (CeO<sub>2</sub>), tin oxide (SnO<sub>2</sub>), zinc titanate (ZnTiO<sub>2</sub>) and a combination thereof for requiring fewer steps and less cost to manufacture (col. 3 lines 51-58);

(d) each of said first alignment layer and said second alignment layer made of the dry deposited layers is divided into a plurality of pixels each having a boundary and at least two domains; wherein each of said multi-domain, dry deposited layers is obtained by a mechanical mask 966; said dry deposited layers are exposed to at least a first particle (ion) beam and a second particle (ion) beam, where a first particle beam

Art Unit: 2871

and a second particle beam use the same ion, which is selected from the group consisting argon, nitrogen, oxygen and a mixture thereof; and a direction of said first particle beam with respect to said dry deposited layer is different than a direction of said second particle beam with respect to said dry deposited layer with the features of claim 11 for resulting multidomain device so that attributing large view angle (col. 6 lines 19-31).

Therefore, it would have been obvious to one having ordinary skill in the art at the time the invention was made to further modify a multi-domain liquid crystal display as Oh et al. disclosed with (a) a second transparent conductive layer disposed over the color filter, which is formed on the surface of upper substrate; this second transparent conductive layer used for preventing electrostatics forming on the upper substrate (col. 3 lines 1-3) as taught by Kim et al.; (b) a plurality of uniformly sized spacer 108 distributing within said space for supporting the thickness of liquid crystal layer (col. 5 lines 25-29) as taught by Hiroshi; (c) the alignment layers made of the dry deposited layers, which are made of material selected from the group consisting of hydrogenated diamond-like carbon, amorphous hydrogenated silicon, silicon carbide (SiC), silicon dioxide (SiO<sub>2</sub>), glass, silicon nitride (Si<sub>3</sub>N<sub>4</sub>), alumina (Al<sub>2</sub>O<sub>3</sub>), cerium(IV) oxide (CeO<sub>2</sub>), tin oxide (SnO<sub>2</sub>), zinc titanate (ZnTiO<sub>2</sub>) and a combination thereof for requiring fewer steps and less cost to manufacture (col. 3 lines 51-58); (d) each of said first alignment layer and said second alignment layer made of the dry deposited layers is divided into a plurality of pixels each having a boundary and at least two domains; wherein each of

Art Unit: 2871

said multi-domain, dry deposited layers is obtained by a mechanical mask 966; said dry deposited layers are exposed to at least a first particle (ion) beam and a second particle (ion) beam, where a first particle beam and a second particle beam use the same ion, which is selected from the group consisting argon, nitrogen, oxygen and a mixture thereof; and a direction of said first particle beam with respect to said dry deposited layer is different than a direction of said second particle beam with the features of claim 11 for resulting multidomain device so that attributing large view angle (col. 6 lines 19-31).

### ***Conclusion***

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HOAN C. NGUYEN whose telephone number is (571) 272-2296. The examiner can normally be reached on MONDAY-THURSDAY:8:00AM-4:30PM.


If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Kim H. Robert can be reached on (571) 272-2293. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2871

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

HOAN C. NGUYEN  
Examiner  
Art Unit 2871

chn

  
ANDREW SCHECHTER  
PRIMARY EXAMINER